Ville de Beresford
Chief Daniel Duguay
855 Principlae Street, Local 1
Beresford, NB E8K 2Y1
506-544-0792 W
506-542-2702
berfire@nb.aibn.com

**Exp. Date:** 05/28/2014
**Quote No:** JBENB-0006   **Job/Order No:** 17950

**BODY:** 00-10-15   Metalfab Pumper - ULC 05/13

02/17/2017                                                                                          Page 1

| PART NO | S | STN CODE | DESCRIPTION | | QTY | ID |
|---|---|---|---|---|---|---|
| | | | *== Metalfab Pumper - ULC 05/13 - 0.000 ==* | | *1* | *MTL* |
| | *S* | | *CHANGE ORDER B* | | *1* | *MTL* |
| 00-10-1500 | | | Metalfab Pumper | E | 1 | MTL |
| 00-20-1000 | | | Company Profile | E | 1 | MTL |
| 00-20-1500 | | | Standard Body Warranty | | 1 | MTL |
| 00-20-1550 | | | Metalfab Limited Ten (10) Year Paint and Corrosion Warranty | | 1 | MTL |
| *00-20-1700* | | | *Hale Pump Warranty - 5 years* | | *1* | *MTL* |
| 00-20-1800 | | | Ultra Tank Lifetime Warranty | | 1 | MTL |
| *00-20-2100* | *S* | | *Plant Inspection Visits* | *E* | *5* | *MTL* |
| 00-20-3000 | | | No Bonding Required | | 1 | MTL |
| 00-20-3500 | | | Certification for Fusion Welding of Aluminum | | 1 | MTL |
| 00-20-4000 | | | Quality System registered to ISO 9001:2008 | | 1 | MTL |
| 00-20-4500 | | | Fire Apparatus Manufacturers' Association Membership | | 1 | MTL |
| *00-99-0010* | *U* | | *Compliance with Tender Document* | | *1* | |
| | | | GENERAL INFORMATION | | 1 | MTL |
| 10-11-0000 | | | Intent | E | 1 | MTL |
| 10-11-0105 | | | Vehicle Data Recorder not requested | | 1 | MTL |
| *10-11-1100* | *S* | | *ULC S515-04 Compliance* | | *1* | *MTL* |
| *10-11-1500* | | *>* | *ULC Testing - Pumper* | | *1* | *MTL* |
| 10-11-2100 | | | Maximum length not specified | E | 1 | MTL |
| *10-11-2200* | *S* | | *Maximum height 130"* | | *1* | *MTL* |
| 10-11-2300 | | | Overall length is less than 30' | | 1 | MTL |
| *10-11-2500* | | *<* | *General Construction* | | *1* | *MTL* |
| | | | *Total weight to be no more than 90% of the GVWR* | | | |
| *10-11-2600* | *S* | | *Preconstruction Meeting* | *E* | *1* | *MTL* |
| *10-11-3000* | | | *Manuals - two copies* | | *1* | *MTL* |
| *10-11-3600* | *S* | *< >* | *Delivery - FOB Fire Department* | *E* | *1* | *MTL* |
| | | | *4 hours of training to be provided* | | | |
| | | | *Penalty of $100 per day after November 14.2014* | | | |
| *10-11-4000* | *S* | | *Payment Terms - Chassis Net 10 days, Balance COD* | | *1* | *MTL* |
| 10-20-1000 | | | Hose bed capacity - standard ULC Pumper | | 1 | MTL |
| 10-20-2000 | | | Equipment carrying capacity - standard ULC Pumper | | 1 | MTL |
| *10-99-05AA* | *U* | | *Three sets of approval drawings before construction* | | *1* | |
| | | | CHASSIS INFORMATION | | 1 | MTL |
| *20-11-1000* | *S* | | *Chassis supplied by Metalfab* | | *1* | *MTL* |
| 20-11-1500 | | | 2013 Emission chassis modifications | | 1 | MTL |
| *20-11-1700* | | | *Chassis Motor Vehicle Inspection required - NB* | | *1* | *MTL* |
| | | | *E* | | | |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|---|---|---|---|---|---|
| 20-21-0500 | | | Fluid capacity plate | 1 | MTL |
| 20-21-0600 | | | Pumping test plate | 1 | MTL |
| 20-21-1000 | | | Maximum riders sign - 2 persons | 1 | MTL |
| 20-21-1500 | | | Seat belt warning labels - 2 door chassis | 1 | MTL |
| 20-21-1550 | | | Tire Pressure Indicators not requested | 1 | MTL |
| 20-21-1600 | | | Apparatus Information Label | 1 | MTL |
| 20-21-2000 | | | Non removable key | 1 | MTL |
| 20-21-2500 | | | Shifter lock not required                                              E | 1 | MTL |
| 20-21-3500 | | | Rear step warning label | 1 | MTL |
| 20-21-3800 | | | Front mudflaps | 1 | MTL |
| 20-21-4000 | | | Rear mudflaps - Metalfab Logo | 1 | MTL |
| 20-31-0200 | | | Fuel fill label -Ultra Low Sulfur Diesel only | 1 | MTL |
| *20-31-0500* | | | *Alum tread fuel tank trim, Conv - 2 door* | *1* | *MTL* |
| 20-31-1900 | | | Chassis cab not painted                                            E | 1 | MTL |
| *20-31-7500* | | | *Console in cab* | *1* | *MTL* |
| 20-41-0600 | | | Intake air shutoff for engine not required | 1 | MTL |
| *20-41-0900* | | | *Auxiliary braking system disabled when pumping* | *1* | *MTL* |
| 20-41-1100 | | | Transmission programming - Allison WT | 1 | MTL |
| 20-41-1500 | | | Extend exhaust pipe - RS front of rear wheels <br> E | 1 | MTL |
| 20-41-1900 | | | Battery boost terminals with chassis                          E | 1 | MTL |
| 20-41-2000 | | | Chassis batteries remain in OEM location | 1 | MTL |
| 20-41-2510 | | | Fuel fill at step fuel tank under cab | 1 | MTL |
| 20-41-2600 | | | Chassis fuel tank remains in OEM location | 1 | MTL |
| 20-41-5000 | | | Rear Tow Hooks - under body | 1 | MTL |
| 20-51-0500 | | | Master disconnect switch - manual | 1 | MTL |
| *20-51-2500* | | | *Back up alarm included with chassis* | *1* | *MTL* |
| 20-51-3400 | | | Protection valve installed for air operated accessories | 1 | MTL |
| *20-51-3500* | | *<* | *Air outlet* <br> **Located on the left side pump panel** | *1* | *MTL* |
| *20-51-4000* | *S* | *<* | *Auto eject for air inlet - RS* <br> **To be installed on the RIGHT side pump panel** | *1* | *MTL* |
| *20-51-5600* | *S* | *<* | *Flashing headlights w/ daytime running lights* <br> **In addition to the Flashing headlights ordered with the chassis there shall be Code 3 LED Hide-A-Blast, Model # HB915W.** <br> **Customer to confirm location of Hide-a-Blast lights at Pre-construction meeting and if switched separately or in conjunction with the flashing headlights:** <br> **_____** | *1* | *MTL* |
| *20-51-6200* | | *>* | *120 volt 20 A shore line connection in chassis cab* | *3* | *MTL* |
| *20-51-6500* | | *<* | *Kussmaul Autocharge 1000 battery conditioner w/battery saver* <br> **Display and connection to be installed on the RIGHT side pump panel** | *1* | *MTL* |
| *20-51-7101* | | | *Electric System Management not required* <br> *E* | *1* | *MTL* |
| *20-51-7300* | *S* | *>* | *Low Voltage Alarm in cab* | *1* | *MTL* |
| *20-51-7500* | | | *Super Auto eject for 120 v - 20 A with sealed enclosure* | *1* | *MTL* |
| *20-51-8500* | | | *Engine compartment lights (pair)* | *1* | *MTL* |
| *20-51-9100* | *S* | | *Air horns on hood, lanyard controlled* | *1* | *MTL* |
| 20-52-3000 | | *>* | Chassis steering wheel lined up by others | 1 | MTL |
| 20-60-0400 | | | Chassis wheelbase does not change | 1 | MTL |
| *20-99-15AA* | *U* | | *Pump panel lights - Lumabar LED* | *1* | |
| *20-99-20AA* | *U* | | *Master Panel Light Switch* | *1* | |
| | | | PUMP AND PLUMBING | 1 | MTL |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|---|---|---|---|---|---|
| 30-11-5600 | | | Hale QFLO Single stage 1050 IGPM | 1 | MTL |
| *30-12-3300* | | | *Mechanical seal for Hale QFLO/QPAK pumps* | *1* | *MTL* |
| *30-15-0102* | | | *Plumbing - Hale manifold pump TM SS* | *1* | *MTL* |
| *30-20-1000* | | | *Valves and controls - top mount panel* | *1* | *MTL* |
| *30-20-1001* | | | *Valve brand not specified*                                                    *E* | *1* | *MTL* |
| *30-20-1600* | | | *Piping stainless steel - general* | *1* | *MTL* |
| *30-20-1700* | *S* | | *1-1/2" thread specifications - NPSH* | *1* | *MTL* |
| *30-20-1800* | *S* | | *2-1/2" thread specifications - 3x8 thread (BCT)* | *1* | *MTL* |
| 30-20-2000 | | | Piping hydrostatic test | 1 | MTL |
| *30-20-2500* | | | *Anodes in suction and discharge piping* | *1* | *MTL* |
| *30-21-8510* | | *<* | *Tank to Pump 4" butterfly valve SS, handwheel control, check valve manifold pump* | *1* | *MTL* |
| | | | **Hand wheel must be chrome or polished aluminum (not plastic).** | | |
| *30-22-2030* | | | *Tank Fill valve 3" TM SS* | *1* | *MTL* |
| *30-31-4010* | *S* | | *Suction - 6" each side manifold pump* | *1* | *MTL* |
| *30-31-5100* | *S* | | *Suction - 6" SS piping to rear - electric control - 6" connection* | *1* | *MTL* |
| *30-31-7200* | | *>* | *Hale master intake suction valve - electric control* | *3* | *MTL* |
| *30-31-7220* | | | *Butterfly valve handwheel control remote indicator light closed only* | *1* | *MTL* |
| *30-32-7530* | | | *Suction - 2-1/2" left side SS, bleeder, Hale manifold pump* | *1* | *MTL* |
| *30-32-8030* | | | *Suction - 2-1/2" right side SS, bleeder, Hale manifold pump* | *1* | *MTL* |
| *30-40-2030* | | | *4" right discharge TM SS, plumbed 3", Hale manifold pump* | *1* | *MTL* |
| *30-41-2030* | | | *2-1/2" RS discharge TM SS, bleeder, Hale manifold pump* | *1* | *MTL* |
| *30-41-2030* | *S* | | *2-1/2" RS discharge TM SS, bleeder, Hale manifold pump* | *1* | *MTL* |
| *30-41-2530* | | | *2-1/2" LS discharge TM SS, bleeder, Hale manifold pump* | *2* | *MTL* |
| *30-43-1530* | | | *2-1/2" rear discharge TM SS, plumbed 2-1/2", bleeder* | *2* | *MTL* |
| *30-44-0530* | *S* | *<* | *1-1/2" crosslay (each) TM SS, 2" valve, bleeder* | *2* | *MTL* |
| | | | **The crosslay will be 14" wide with one divider** | | |
| | | | **Connections are to be one each end, not in centre of hose bed** | | |
| *30-44-6530* | | | *Piping for monitor TM SS, plumbed 3", bleeder* | *1* | *MTL* |
| *30-44-8500* | *S* | *>* | *Hose reel, 1" X 200', nozzle, electric - hosebed mounted* | *1* | *MTL* |
| *30-51-0500* | | | *Pump shift-Midship air* | *1* | *MTL* |
| 30-51-0700 | | | Pump Gearbox mounted manual over ride for pump shift E | 1 | MTL |
| *30-51-6640* | | | *Class One "TPG Plus" Governor/Throttle* | *1* | *MTL* |
| *30-51-7000* | | | *Suction side relief V/V, manifold pump* | *3* | *MTL* |
| *30-51-7700* | | | *Primer Hale oil less ESP with oil tank Hale* | *1* | *MTL* |
| *30-51-7800* | | | *Pre Primer for gated suction Hale primer* | *1* | *MTL* |
| *30-51-8100* | | | *Heat exchanger included with chassis* | *1* | *MTL* |
| 30-52-1000 | | | Master drain V/V, 12 port | 1 | MTL |
| *30-52-2000* | | | *Drain valve for foam system header* | *1* | *MTL* |
| *30-52-4010* | *S* | | *Foam System - Hypro FoamPro 1600* | *1* | *MTL* |
| *30-52-8100* | | *<* | *Electric foam fill pump with panel pickup* | *1* | *MTL* |
| | | | **To be installed on the RS pump panel** | | |
| | | | **The fill hose is to be included and mounted inside the RS pump panel door** | | |
| *30-52-9100* | | | *Foam concentrate label at foam tank fill* | *1* | *MTL* |
| *30-52-9200* | | | *Foam System Instruction Plates* | *1* | *MTL* |
| *30-52-9400* | | | *NFPA Foam System certification test* | *1* | *MTL* |
| | | | WATER AND FOAM TANKS | 1 | MTL |
| 40-11-2100 | | | Ultra-Tank water tank (Imperial gallons) | 1 | MTL |
| 40-11-2200 | | | Water tank capacity certification (tank manufacturer) | 1 | MTL |
| 40-11-5000 | | | Tank capacity 1000 Imperial Gallons | 1 | MTL |
| *40-12-5000* | | | *Foam cell - 30 Imperial gallon* | *1* | *MTL* |
| *40-13-0100* | | *>* | *Through the tank tunnel - up to 1200 gallon tank* | *1* | *MTL* |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|---|---|---|---|---|---|
| *40-21-1000* | | | *4" tank to pump connection* | *1* | *MTL* |
| *40-22-1500* | | | *3" tank fill connection* | *1* | *MTL* |
| 40-23-0500 | | | 1" water level gauge connection | 1 | MTL |
| *40-23-1060* | | | *10" Newton dump connection* | *1* | *MTL* |
| *40-30-0500* | | | *Sump drain valve (3" gate valve) with linkage* | *1* | *MTL* |
| | | | *E* | | |
| 40-30-1000 | | | Water Fill Box front left corner | 1 | MTL |
| *40-31-3500* | | | *10" rear Newton dump,stainless steel* | *1* | *MTL* |
| *40-31-3600* | | | *Newton dump - stainless steel 36" telechute* | *1* | *MTL* |
| *40-31-5500* | | | *Electric operator for Newton dump* | *1* | *MTL* |
| 40-31-6050 | | | Rear fill not requested                                        E | 1 | MTL |
| | | | ELECTRICAL | 1 | MTL |
| *50-11-0450* | | | *Base electrical system - International Diamond Logic multiplex* | *1* | *MTL* |
| 50-11-0600 | | | Warning Light Certification | 1 | MTL |
| 50-11-0700 | | | Low Voltage Electrical system test | 1 | MTL |
| 50-11-0800 | | | Low Voltage Electrical System Documents | 1 | MTL |
| *50-11-0900* | *S* | | *Rocker switch panel with master warning switch* | *1* | *MTL* |
| *50-11-2600* | | | *Siren to be accessible to driver and officer* | *1* | *MTL* |
| *50-11-5002* | *S* | | *Special Light Bar - Code 3 DF58NFPA1* | *1* | *MTL* |
| 50-11-6501 | | | Rear Directional Light not required                            E | 1 | MTL |
| *50-21-2540* | | | *FRC telescoping SPECTRA LED 12V flood (ea)* | *2* | *MTL* |
| 50-21-5100 | | > | Compartment lighting -  LED tube lights in each compartment (rollup doors) | 1 | MTL |
| 50-21-5500 | | | Door Ajar warning light | 1 | MTL |
| *50-21-5550* | | | *Equipment rack not stowed warning light* | *2* | *MTL* |
| *50-21-8001* | | | *Step lights for body steps - 4" LED* | *1* | *MTL* |
| *50-21-8110* | | | *Step lights for walkway - 4" LED* | *1* | *MTL* |
| *50-21-8201* | | | *Step lights for chassis steps - LED marker type* | *1* | *MTL* |
| 50-21-8600 | | | LED clearance lts and reflectors | 1 | MTL |
| *50-22-0750* | *S* | *<* | *Code 3  65PKG4 brake-turn-backup-warning module (pr)* | *1* | *MTL* |
| | | | *Department requests 65PKG4 to be used* | | |
| *50-31-6550* | | | *Ground lighting (LED Lumabar) - 2 door chassis* | *1* | *MTL* |
| *50-31-6580* | | | *Ground lighting (LED Lumabar) - top mount body* | *1* | *MTL* |
| *50-31-7000* | | *>* | *Work light for crosslay hose beds* | *1* | *MTL* |
| *50-35-0500* | *S* | | *Installation of customer supplied mobile radio* | *2* | *MTL* |
| *50-35-0560* | | | *VHF antenna with base - commercial chassis* | *1* | *MTL* |
| *50-35-0570* | | | *UHF antenna with base - commercial chassis* | *1* | *MTL* |
| *50-99-05AA* | *U* | | *Code 3 Z3 siren and C3100 100-watt speaker* | *1* | |
| *50-99-10AA* | *U* | | *Rear LED Beacons - #A36RS (pr)* | *1* | |
| *50-99-15AA* | *U* | | *LED Perimeter lights - 4"x6" 65BZR (pr)* | *4* | |
| *50-99-20AA* | *U* | | *Additional hose bed lighting* | *1* | |
| *50-99-4500* | *U* | | *Unity LED Rear Flood (pr)* | *1* | |
| | | | BODY | 1 | MTL |
| *60-10-1400* | | | *Single axle extruded aluminum body* | *1* | *MTL* |
| *60-10-4000* | | | *Tapered "beavertail" rear step supports*                      *E* | *1* | *MTL* |
| *60-10-4500* | | | *Aluminum tread plate fender surround - single axle* | *1* | *MTL* |
| 60-10-4700 | | | Integral aluminum fender trim | 1 | MTL |
| 60-10-5400 | | > | Diamondback pumphouse steps | 1 | MTL |
| 60-10-5430 | | > | Diamondback 19" rear step | 1 | MTL |
| 60-10-6000 | | | Extruded rub rail | 1 | MTL |
| *60-11-0200* | | *< >* | *Front left side compartments intermediate height* | *1* | *MTL* |
| | | | *Size - 47" wide x46" tall x 25" deep at bottom (12" deep at top)* | | |
| *60-11-0600* | | *< >* | *Front right side compartments intermediate height* | *1* | *MTL* |
| | | | *Size - 47" wide x46" tall x 25" deep at bottom (12" deep at top)* | | |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|---------|---|----------|-------------|-----|-----|
| *60-11-0900* | *< >* | | *Rear left side compartments intermediate height* | *1* | *MTL* |
| | | | *Size - 44" wide x46" tall x 25" deep at bottom (12" deep at top)* | | |
| *60-11-1300* | *< >* | | *Rear right side compartments intermediate height* | *1* | *MTL* |
| | | | *Size - 44" wide x46" tall x 25" deep at bottom (12" deep at top)* | | |
| *60-11-2000* | *< >* | | *High side compartment (over 18") each* | *2* | *MTL* |
| | | | *Size - 60" wide x10" tall x 12" deep* | | |
| *60-11-3200* | *< >* | | *Full Height Rear compartment* | *1* | *MTL* |
| | | | *Size - 38" wide x61" tall x 25" deep* | | |
| *60-11-5500* | | | *Rollup door - standard height* | *2* | *MTL* |
| *60-11-5510* | | | *Rollup door - intermediate height* | *4* | *MTL* |
| 60-11-5520 | | | Rollup door - full height | 1 | MTL |
| 60-31-4100 | | | Extruded aluminum handrails | 1 | MTL |
| 60-31-5500 | | | Steps at rear of body (folding) | 1 | MTL |
| *60-31-5600* | | *<* | *Steps and grab handles at front of body next to pump panel* | *1* | *MTL* |
| | | | *Handles will be aft of the crosslays and on vertical front edge of the body* | | |
| 60-31-6500 | | | Compartment matting-Turtle tile | 1 | MTL |
| *60-31-8000* | | | *BA bottle compt (ea)-fender well* | *4* | *MTL* |
| *60-31-8700* | | *>* | *Sliding tray (ea) - 400 pound capacity with gas strut* | *4* | *MTL* |
| *60-31-9600* | | *>* | *Adjustable shelf (ea)* | *8* | *MTL* |
| *60-32-3560* | | | *Three adjustable hose divider (each)* | *1* | *MTL* |
| 60-32-7500 | | | Hose bed - aluminum | 1 | MTL |
| *60-33-0000* | | | *Paint exterior - Imron Elite* | *1* | *MTL* |
| 60-33-0200 | | | Undercoat vehicle with KROWN rust protection | 1 | MTL |
| *60-33-0600* | | | *Chassis wheels not painted* | *1* | *MTL* |
| 60-33-1000 | | | Paint pump and plumbing job colour | 1 | MTL |
| 60-33-1500 | | | Buffed finish compartment interior | 1 | MTL |
| *60-33-2200* | *S* | | *Lettering - 80 letters up to 3" tall - 3 colour* | *1* | *MTL* |
| 60-33-3000 | | | Reflective stripe - 4" white | 1 | MTL |
| *60-33-3500* | | | *Tarp over hose bed - black* | *1* | *MTL* |
| *60-33-4000* | | | *Tarp over crosslays - black* | *1* | *MTL* |
| *60-40-5500* | | | *Suction hose tube (each) with door* | *2* | *MTL* |
| *60-40-8500* | | *>* | *Tail light box Fire Extinguisher tubes (pr)* | *2* | *MTL* |
| *60-40-9001* | *S* | *>* | *Tube mount for portable tank through tank* | *1* | *MTL* |
| *60-41-1000* | | | *Pike Pole tube with door* | *2* | *MTL* |
| *60-41-9000* | *S* | *>* | *Zico electric Ladder Access system* | *2* | *MTL* |
| *60-41-9010* | | | *ZICO LAS switched at rear above tail light E* | *2* | *MTL* |
| *60-41-9100* | | | *Manual locking system for LAS* | *2* | *MTL* |
| *60-99-05AA* | *U* | | *Unistruts for additional shelves* | *1* | |
| | | | INSTRUMENTATION | 1 | MTL |
| 70-11-0000 | | | Warning Label on Pump Operator's Panel | 1 | MTL |
| *70-11-1500* | | | *Stainless steel instrument panels* | *1* | *MTL* |
| *70-11-2000* | | | *Top mount instrument panel* | *1* | *MTL* |
| *70-11-2500* | | | *Transverse walkway* | *1* | *MTL* |
| *70-11-2600* | | | *Tread plate overlay on back of chassis cab* | *1* | *MTL* |
| *70-11-3000* | | | *Mansaver bars - 22"* | *1* | *MTL* |
| *70-11-3200* | *S* | | *Colour coded tags* | *1* | *MTL* |
| *70-11-3501* | | | *Compartments in ends of walkway not required* | *1* | *MTL* |
| *70-11-4500* | | | *Diamondback grip type panel hood step right side* | *1* | *MTL* |
| *70-11-4600* | | | *Diamondback grip type panel hood step left side* | *1* | *MTL* |
| *70-11-5500* | | | *Right side tread plate pump access door* | *1* | *MTL* |
| *70-11-5600* | | | *Left side tread plate pump access door* | *1* | *MTL* |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|---|---|---|---|---|---|
| *70-11-5700* | | | *Transverse tread plate pump access door* | *1* | *MTL* |
| *70-11-7500* | | | *Heat pan-aluminum* | *1* | *MTL* |
| *70-11-8000* | | | *Heater in pump compartment* | *1* | *MTL* |
| *70-20-1500* | | | *2-1/2" pressure gauge - dual face 0-600* | *10* | *MTL* |
| *70-20-2500* | | | *Primer control* | *1* | *MTL* |
| *70-20-3100* | | | *Class One Governor Control* | *1* | *MTL* |
| 70-20-3500 | | | Electric water level gauge on pump panel, Class One | 1 | MTL |
| 70-20-6500 | | | Test gauge panel | 1 | MTL |
| *70-20-7500* | | | *Heat exchanger control valve* | *1* | *MTL* |
| *70-21-1600* | | | *Electric Foam Level gauge not required* | *1* | *MTL* |
| *70-21-5500* | | | *Panel readout for Battery Conditioner* | *1* | *MTL* |
| *70-99-10AA* | *U* | | *Low Voltage Alarm* | *1* | |
| | | | ACCESSORIES | 1 | MTL |
| 80-11-5000 | | | 6" x 10' lightweight suction hose (ea) | 2 | MTL |
| 80-12-2500 | | | 6" barrel strainer | 1 | MTL |
| *80-12-4500* | | *>* | *6" low level strainer with 1-1/2" venturi connection* | *1* | *MTL* |
| 80-13-0500 | | | Rubber mallet | 1 | MTL |
| *80-13-1200* | | *<* | *Clare hose wrenches (double) with holder* | *3* | *MTL* |
| | | | *Mount on each side panel and at rear of unit* | | |
| | | | | | |
| *80-13-1500* | | | *Bar with bracket* | *1* | *MTL* |
| *80-13-2500* | | | *Pike pole, fibreglass handle - 10' long* | *1* | *MTL* |
| *80-13-2510* | | | *Pike pole, fibreglass handle - 6' long* | *1* | *MTL* |
| *80-13-4000* | | | *Axe, pick head, fibreglass handle and bracket* | *2* | *MTL* |
| *80-14-0500* | *S* | | *24' 2 section extension ladder PEL 24* | *1* | *MTL* |
| *80-14-2500* | *S* | | *35' 3 section extension ladder PEL3-35* | *1* | *MTL* |
| *80-14-5500* | | | *14' aluminum roof ladder PRL-14* | *1* | *MTL* |
| *80-14-7500* | | | *Padded ladder boot - 2 section and roof ladder* | *1* | *MTL* |
| 80-14-7510 | *S* | | *Padded ladder boot - 3 section 35' ladder* | *1* | *MTL* |
| *80-14-8500* | | | *10' aluminum folding attic ladder FL-10* | *1* | *MTL* |
| *80-14-9000* | | | *Attic ladder bracket (Zico)* | *1* | *MTL* |
| *80-16-0500* | | | *Akron 3423 Portable/deck monitor with stacked tips* | *1* | *MTL* |
| *80-16-1500* | | | *Akron 2581 gated wye* | *1* | *MTL* |
| *80-17-0500* | | | *20# dry chemical fire extinguisher and mount* | *1* | *MTL* |
| *80-17-1000* | | | *15# CO2 fire extinguisher and mount* | *1* | *MTL* |
| *80-19-0500* | | | *Large folding wheel chock - aluminum (ea) not mounted* | *2* | *MTL* |
| *80-99-10AA* | *U* | | *Air chuck with 25' of 3/8" air hose* | *1* | |
| *80-99-40AA* | *U* | | *6" NHF to 4" storz adapter w/ 4" storz cap* | *1* | |