




Shop Order-00-10-15: Unclassified

Inverness Fire Department
 Chief Michael MacIsaac
 PO Box 483
 15795 Central Ave.
 Inverness, NS BoE 1N0
 inverness.fire@yahoo.ca



Exp. Date: 11/03/2013
Quote No: 10001-0007
Job/Order No: 17516
BODY: 00-10-15 Metalfab Pumper - ULC 05/13

02/17/2017

Page 1

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			== Metalfab Pumper - ULC 05/13 - 0.000 ==	1	MTL
			Change Order B	1	MTL
00-10-1500			Metalfab Pumper E	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-1700			Hale Pump Warranty - 5 years	1	MTL
00-20-1800			Ultra Tank Lifetime Warranty	1	MTL
00-20-2000			Plant Visits - unlimited at customer expense	1	MTL
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent E	1	MTL
10-11-0105			Vehicle Data Recorder not requested	1	MTL
10-11-1100			BLC S515-04 Compliance	1	MTL
10-11-1500		>	ULC Testing - Pumper	1	MTL
10-11-2100	S		Maximum length 30' (360") E	1	MTL
10-11-2200	S		Maximum height 11' (132") E	1	MTL
10-11-2300			Overall length is less than 30'	1	MTL
10-11-2500			General Construction	1	MTL
10-11-3000			Manuals - two copies	1	MTL
10-11-3600	S	>	Delivery - FOB Fire Department E	1	MTL
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
10-20-1000			Hose bed capacity - standard ULC Pumper	1	MTL
10-20-2000			Equipment carrying capacity - standard ULC Pumper	1	MTL
			CHASSIS INFORMATION	1	MTL
20-11-0500		>	Customer supplied Chassis	1	MTL
20-11-1500			Ø13 Emission chassis modifications	1	MTL
20-11-1600			Chassis Motor Vehicle Inspection not required	1	MTL
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	MTL
20-21-1000			Maximum riders sign - 2 persons	1	MTL
20-21-1500			Seat belt warning labels - 2 door chassis	1	MTL
20-21-1550			Tire Pressure Indicators not requested	1	MTL
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-3810			Front mudflaps provided with chassis	1	MTL
			E		
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-0500			Alum tread fuel tank trim, Conv - 2 door	1	MTL
20-31-1900			Chassis cab not painted	1	MTL
			E		
20-31-7500	S		Console in cab	1	MTL
20-41-0600			Intake air shutoff for engine not required	1	MTL
20-41-0900			Auxiliary braking system disabled when pumping	1	MTL
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1500			Extend exhaust pipe - RS front of rear wheels	1	MTL
			E		
20-41-1900			Battery boost terminals with chassis	1	MTL
			E		
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2510			Fuel fill at step fuel tank under cab	1	MTL
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
20-41-5100			Rear Tow Hook - pintle hook	1	MTL
			E		
20-51-0710			Master Battery Disconnect included with Freightliner chassis	1	MTL
20-51-2500			Back up alarm included with chassis	1	MTL
20-51-3100			Air inlet not required	1	MTL
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-6200	S	>	120 volt 20 A shore line connection in chassis cab	1	MTL
20-51-6600			Kussmaul Pump Plus conditioner/compressor	1	MTL
20-51-7100			Electric System Manager	1	MTL
20-51-7500			Super Auto eject for 120 v - 20 A with sealed enclosure	1	MTL
20-51-8500			Engine compartment lights (pair)	1	MTL
20-51-9100			Air horns on hood, lanyard controlled	1	MTL
20-52-3500		>	Chassis steering wheel lined up by Metalfab	1	MTL
			E		
20-60-0400			Chassis wheelbase does not change	1	MTL
			PUMP AND PLUMBING	1	MTL
30-11-5600			Hale QFLO Single stage 1050 IGPM	1	MTL
30-12-3300			Mechanical seal for Hale QFLO/QPAK pumps	1	MTL
30-15-0103			Plumbing - Hale manifold pump SM	1	MTL
30-20-0500			Valves and controls - side mount panel	1	MTL
30-20-1001			Valve brand not specified	1	MTL
			E		
30-20-1500			Piping galvanized steel - general	1	MTL
30-20-1700	S		1-1/2" thread specifications - NPSH	1	MTL
			E		
30-20-1800	S		2-1/2" thread specifications - 3.23 x 5 NSZ1	1	MTL
			E		
30-20-2000			Piping hydrostatic test	1	MTL
30-20-2505			Anodes in suction and discharge piping not requested	1	MTL
30-21-5500			Tank to Pump 3" w/ check valve manifold pump	1	MTL
30-22-0500			Tank Fill valve 2"	1	MTL
30-31-4010			Suction - 6" not gated each side manifold pump	1	MTL
30-31-7100		>	Hale master intake suction valve - handwheel control	1	MTL
30-32-7500			Suction - 2-1/2" left side, bleeder, Hale manifold pump	1	MTL
30-40-2000			4" right discharge, plumbed 3", Hale manifold pump	1	MTL
30-41-2000			2-1/2" RS discharge, bleeder, Hale manifold pump	1	MTL
30-41-2500			2-1/2" LS discharge, bleeder, Hale manifold pump	2	MTL
30-42-8500			1-1/2" rear discharge, plumbed 2"	2	MTL
30-43-1500			2-1/2" rear discharge, plumbed 2-1/2", bleeder	1	MTL
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E		
30-51-6630			Class One "TPG" Governor/Throttle	1	MTL
30-51-7000			Suction side relief V/V, manifold pump	2	MTL
30-51-7700			Primer Hale oil less ESP with oil tank Hale	1	MTL
30-51-7800			Pre Primer for gated suction Hale primer	1	MTL
30-51-8100			Heat exchanger included with chassis	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
30-52-2000			<i>Drain valve for foam system header</i>	1	MTL
30-52-5510			<i>Foam system-Hypro FoamPro 2001 Single Tank</i>	1	MTL
30-52-9100			<i>Foam concentrate label at foam tank fill</i>	1	MTL
30-52-9200			<i>Foam System Instruction Plates</i>	1	MTL
30-52-9400			<i>NFPA Foam System certification test</i>	1	MTL
			WATER AND FOAM TANKS	1	MTL
40-11-2100			Ultra-Tank water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-5000			Tank capacity 1000 Imperial Gallons	1	MTL
40-12-4500			<i>Foam cell - 20 Imperial gallon</i>	1	MTL
40-21-0500			3" tank to pump connection	1	MTL
40-22-0500			2" tank fill connection	1	MTL
40-23-0500			<i>1" water level gauge connection</i>	1	MTL
40-23-1040			<i>4" direct fill connection</i>	1	MTL
40-23-1060			<i>10" Newton dump connection</i>	1	MTL
40-23-1070			<i>3" direct fill connection</i>	1	MTL
40-30-0500			<i>Sump drain valve (3" gate valve) with linkage</i>	1	MTL
			E		
40-30-1000			Water Fill Box front left corner	1	MTL
40-31-4500			<i>10" rear Newton dump, painted steel</i>	1	MTL
40-31-4700			<i>Newton dump, top mount manual operation</i>	1	MTL
40-31-5000			<i>Newton dump - 36" telechute painted steel</i>	1	MTL
40-31-5600	>		<i>Rotating dump chute for Newton dump painted steel</i>	1	MTL
40-31-5800			<i>Support for rotating dump chute if necessary</i>	1	MTL
40-31-6000			<i>2-1/2" rear gtd tank fill</i>	1	MTL
40-31-8000			<i>4" Storz rear gtd fill</i>	1	MTL
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900			<i>Rocker switch panel with master warning switch</i>	1	MTL
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1620			Siren speaker,100 watt, in front bumper	1	MTL
50-11-2600			<i>Siren to be accessible to driver and officer</i>	1	MTL
50-11-5810	>		<i>Federal SOLARIS Jetsonic 5401 LED light bar all red</i>	1	MTL
50-11-6501			Rear Directional Light not required	1	MTL
50-11-8900			<i>Rear beacons-Federal Sentry (pr) 1 red, 1 amber</i>	1	MTL
50-12-5020			<i>Front LED flashers (pr)-red Federal QL64XF-R</i>	1	MTL
50-12-5110			<i>Rear LED flashers (pr)-red Federal QL64XF-R</i>	1	MTL
50-12-5210			<i>Front side inter lts (pr)-red LED Federal QL64XF-R</i>	1	MTL
50-12-5310			<i>Body side inter lts (pr)-red LED Federal QL64XF-R</i>	1	MTL
50-21-1500			Rear floods (pr)-Unity	1	MTL
50-21-1600			<i>Parking (ditch) lights in rear fenders</i>	1	MTL
50-21-4000			<i>Extenda Light telescoping 100 W/12 v flood/spot (ea)</i>	2	MTL
			E-12V1-PS-SM2		
50-21-5110			<i>Compartment lighting - LED tube lights in each compartment (flush doors) E</i>	1	MTL
50-21-5500			Door Ajar warning light	1	MTL
50-21-5550			<i>Equipment rack not stowed warning light</i>	2	MTL
50-21-8000			Step lights for body steps	1	MTL
50-21-8200			Step lights for chassis steps - halogen marker type	1	MTL
50-21-8600			LED clearance lts and reflectors	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6000	>		<i>Scene lights (pr) - GHSCENE halogen</i>	2	MTL
50-31-6010			<i>Scene light boxes (pr) - tread plate</i>	2	MTL
50-31-6500			Ground lighting (halogen) - 2 door chassis	1	MTL
50-31-6520			Ground lighting (halogen) - side mount body	1	MTL
50-35-0500	S		<i>Installation of customer supplied mobile radio</i>	2	MTL
50-35-0559			<i>Mobile radio antenna provided by customer</i>	2	MTL
			E		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			BODY	1	MTL
60-10-1400			Single axle extruded aluminum body	1	MTL
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400	>		Diamondback pumphouse steps	1	MTL
60-10-5430	>		Diamondback 19" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
60-11-0300	>		Front left side compartments full height	1	MTL
			E		
60-11-0600	>		Front right side compartments intermediate height	1	MTL
60-11-1000	>		Rear left side compartments full height	1	MTL
			E		
60-11-1300	>		Rear right side compartments intermediate height	1	MTL
60-11-1900	>		Low side compartment (up to 18") each	1	MTL
60-11-2000	>		High side compartment (over 18") each	2	MTL
60-11-3100			No rear compartment	1	MTL
			E		
60-11-4500			Flush mount aluminum door - single with "D" handle	3	MTL
60-11-4510			Flush mount aluminum door - double with "D" handle	4	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-5500			Steps at rear of body (folding)	1	MTL
60-31-5600			Steps and grab handles at front of body next to pump panel	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-9600	S	>	Adjustable shelf (ea)	4	MTL
60-32-3500			One adjustable hose divider	2	MTL
60-32-7500			Hose bed - aluminum	1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600			Chassis wheels not painted	1	MTL
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
60-33-2200			Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-3000			Reflective stripe - 4" white	1	MTL
60-33-3500			Tarp over hose bed - black	1	MTL
60-33-4700			No crosslay preconnects on vehicle	1	MTL
			E		
60-40-5500			Suction hose tube (each) with door	2	MTL
60-41-1000			Pike Pole tube with door	2	MTL
60-41-1500			Attic ladder tube with rear door	1	MTL
60-41-9000	>		Zico electric Ladder Access system	1	MTL
60-41-9010			ZICO LAS switched at rear above tail light	1	MTL
			E		
60-41-9100			Manual locking system for LAS	1	MTL
60-41-9500	>		Zico Horizontal Ladder Access system	1	MTL
60-41-9510			ZICO HLAS switched at rear above tail light	1	MTL
			INSTRUMENTATION	1	MTL
70-11-0000			Warning Label on Pump Operator's Panel	1	MTL
70-11-0500			Side mount instrument panel	1	MTL
70-11-1500			Stainless steel instrument panels	1	MTL
70-11-3200			Colour coded tags	1	MTL
70-11-4100			Stainless steel side panel hood left side	1	MTL
70-11-4500			Diamondback grip type panel hood step right side	1	MTL
70-11-5100	S		Open storage top of pump house	1	MTL
70-11-5500			Right side tread plate pump access door	1	MTL
70-11-7500			Heat pan-aluminum	1	MTL
70-11-8100			Heater in pump compartment not requested	1	MTL
70-20-0500			4-1/2" compound gauge - dual face 0-600	2	MTL
70-20-1500			2-1/2" pressure gauge - dual face 0-600	7	MTL
70-20-2500			Primer control	1	MTL
70-20-3100			Class One Governor Control	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
70-20-3510			Electric water level gauge on pump panel and at rear, Class One	1	MTL
70-20-6500			Test gauge panel	1	MTL
70-20-7500			Heat exchanger control valve	1	MTL
70-21-1600			Electric Foam Level gauge not required	1	MTL
70-21-5500			Panel readout for Battery Conditioner	1	MTL
71-21-4000			Microphone compartment	1	MTL
71-21-4000	S		Microphone compartment	1	MTL
71-21-4500			Speaker on pump panel	1	MTL
71-21-4500	S		Speaker on pump panel	1	MTL
71-99-0500	U		Microphone connection on pump panel	1	
71-99-0501	U		Microphone connection on pump panel	1	
			ACCESSORIES	1	MTL
80-11-5000			6" x 10' lightweight suction hose (ea)	2	MTL
80-12-2500			6" barrel strainer	1	MTL
80-13-0500			Rubber mallet	1	MTL
80-13-1100			Hose wrenches (triple) with holder	1	MTL
80-13-2500			Pike pole, fibreglass handle - 10' long	2	MTL
80-14-0500			24' 2 section extension ladder PEL 24	1	MTL
80-14-5500			14' aluminum roof ladder PRL-14	1	MTL
80-14-8500			10' aluminum folding attic ladder FL-10	1	MTL
80-99-0500	U		4" Storz to 2-1/2" swivel female threaded adapter only	1	
80-99-1000	U		4" Storz to 2-1/2" male threaded adapter with cap	1	