




Shop Order

Allan Chisholm
 19 Jim Welsh Loop
 Erinville
 Guysborough County, NS B0H 1N0
 902.533.2771 work
 902.328.7099 home
 902.533.4352
 allan.chisholm@novascotia.ca



Exp. Date: 09/23/2015
Quote No: JERNS-0008
Job/Order No: 18650
BODY: 00-10-21 Metalfab Walk Around 05/13

01/18/2017

Page 1

PART NO	S	DESCRIPTION	QTY	ID
		== Metalfab Walk Around 05/13 - 0.000 ==	1	MTL
		Change Order B	1	MTL
00-10-2000		Metalfab Walk Around Rescue/Equipment Unit E	1	MTL
00-20-2000		Plant Visits - unlimited at customer expense	1	MTL
00-20-3500		Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000		Quality System registered to ISO 9001:2008	1	MTL
00-20-4500		Fire Apparatus Manufacturers' Association Membership	1	MTL
		GENERAL INFORMATION	1	MTL
10-11-2100		Maximum length not specified E	1	MTL
10-11-2200	S <	Maximum height - 117" E The door opening height is 117"	1	MTL
10-11-2300		Overall length is less than 30'	1	MTL
10-11-3000	S	Manuals ***Chassis manuals are those supplied by the Chassis manufacturer. Any manuals for the components installed on the truck will be included with the finished unit.	1	MTL
10-11-3600	S >	Delivery - FOB Fire Department ENG. NOTE: Note in the shop note if more than 4 hours of training is required	1	MTL
10-11-4000		Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
		CHASSIS INFORMATION	1	MTL
20-11-1000	S <	Chassis supplied by Metalfab - Dodge Ram 3500 Reg Cab 4x4 - 8' box Change Order B - November 10.2015 - Customer asked the make of the transmission: Transmission is a 6 speed automatic - Chrysler Model 66RFE. Model will be confirmed when QA has done chassis inspection and filled in the Chassis Check Sheet. 140.5" wheelbase 6.4 Liter Hemi V8 with 6 speed automatic transmission 3.73 rear axle gearing Alternator rating - TBD. 380 Amp may not be available, may have to go with 220 Amp. Dealer is checking into. 40/20/40 Bench seat. (Center section will be removed for console 20-31-7500) Color is Flame Red	1	MTL

PART NO	S	DESCRIPTION	QTY	ID
		Chassis will be dropped shipped to Connell Chrysler in Woodstock, NB.		
20-11-12AA	U	Truck Cap - Diablo 8' Diablo cap with no side access doors and Red in color. See Quote in file.	1	
20-11-1600		Chassis Motor Vehicle Inspection not required	1	MTL
20-31-0100	S	Under cab single polished aluminum cab entry steps (pr) Metalfab part number 1001207	1	MTL
20-31-1900	S	Chassis cab painted Flame Red by Dodge	1	MTL
20-31-7500		Console in cab Install switch panel, siren, spot light control, monitor for rear view camera and Customer supplied radio in console. Electrical distribution panel will be in bottom part of console.	1	MTL
20-51-0500	S <	Master disconnect switch - manual For Metalfab installed components only. *** Floor mounted next to driver's door	1	MTL
20-51-2500	U	Price Adjustment	1	
20-51-2600	S	Back up alarm	1	MTL
20-51-6200	S >	120 volt 20 A shore line connection in box for radio/flashlight chargers ENG. NOTE: Requires 20-51-75 120 volt auto eject or 20-51-80 120 volt inlet Standard 5-20R duplex receptacle in box, not fused Location will be in the part of the box over the cab as shown on drawing.	1	MTL
20-51-8010		120 volt - 20 A volt inlet For the 20-51-6200 shoreline. Location to be front left side of cap as shown on drawing unless otherwise specified.	1	MTL
20-52-4000		Rear View Camera system Rearview Systems STM5600 with 5.6" colour monitor in cab mounted on front top of console unless otherwise specified.	1	MTL
		ELECTRICAL	1	MTL
50-11-0900		Rocker switch panel with master warning switch Electrical distribution panel will be in bottom part of console.	1	MTL
50-11-1400	S	Code 3 Siren 3000 100 Watt Undercover	1	MTL
50-11-1620	S	Siren speaker, 100 watt, Code 3 Compact C3500U in front bumper Mounted in existing opening in front bumper - exact location to be determined when the chassis arrives.	1	MTL
50-11-2600		Siren to be accessible to driver and officer	1	MTL
50-11-5810	S >	Code 3 21TR All LED Light Bar ENG. NOTE: Adds 6.5" to overall height (measuring from roof of chassis) Metalfab part number 1570921	1	MTL
50-12-05AA	U	Code 3 XT3R Red LED Warning Light (pr) Metalfab part number 1570925 Unless otherwise specified the location of the lights will be as follows; One pair front facing in chassis grille One pair side facing on chassis front bumper One pair side facing on rear portion of Diablo cap	4	

PART NO	S	DESCRIPTION	QTY	ID
		One pair rear facing on back of Diablo cap		
50-12-10AA	U <	LED Tube lights in box Control (switch) for the tube lights to be mounted inside the entry door.	1	
		Three - LED Lumabars, approx 40" long. Met p/n 1562591		
50-21-3000	>	Remote control electric spot/flood (ea) Spartan ENG. NOTE: Specify location of light and location of control panel in cab. On cab hood, control on console	1	MTL
50-31-61AA	U	Whelen LED Scene lights 70C0ELZR (pr) Two on rear, two on each side of box. Switched in cab (Left Scene, Right Scene, Rear Scene).	3	
50-35-0500		Installation of customer supplied mobile radio ***Please provide radio and antenna prior to chassis receipt at Metalfab.***	1	MTL
50-35-0560	S	VHF antenna with base - commercial chassis	1	MTL
50-35-0590	S	Cellular/TMR antenna with base - commercial chassis BODY	1	MTL
60-33-2200	S <	Lettering - 80 letters up to 3" tall - 3 colour Change Order B - November 10.2015 Door decal to match 2008 Pumper Truck #1 Keep Back 150M on the rear Dial 911 on the side of the cap *** Vinyl letters, Fire Department to provide details on location and text.	1	MTL
60-33-3000	S	Reflective stripe - 4" white Fire Department to provide details on location Change Order B - November 10.2015 - Reflective stripe to be at the bottom of the chassis	1	MTL
60-90-5010		Bunker gear compartments - aluminum (per compartment) E Inside cap - left side as shown on drawing	12	MTL
60-99-10AA	U	Spine board Storage Spine board to be stored on top of bunker compartments. Measures 72" long x 16" wide x 10" deep with the block (would like to store the board with the blocks on). Spine board will be secured in place by Velcro straps.	1	
		ACCESSORIES	1	MTL
90-99-05AA	U <	Forest Equipment storage Change Order B - November 10.2015: Both extinguishers measure 21" high x 9" wide x 9" deep. Forestry hose measures 12" in diameter and 3" wide. Customer will purchase grass packs that are collapsible. They may all fit in one cubicle. Customer requests the cubicle partitions to be bolted in so they can remove them to give them a bigger compartment if required. The portable pump to be secured at front of the box and install a fixed horizontal partition over it so it can be used as a seat and/or a step to gain access to the storage above the chassis cab. Suction hoses are 2-1/2" and measure 144" long with floating strainer (strainer is 7" tall) and 123-1/2" with out the strainer.	1	

PART NO	S	DESCRIPTION	QTY	ID
		Storage for Customer's forestry equipment;		
		Two (2) Fire Extinguishers - Customer to specify dimensions of fire extinguisher when installed in brackets; Height - _____" Width - _____" Depth - _____"		
		Twelve (12) lengths of forestry hose - Customer to specify dimensions; Diameter of rolled hose - _____" Thickness of rolled hose - _____"		
		Six (6) grass packs pumps - Customer to specify dimensions; Height - _____" Width - _____" Height - _____"		
		One (1) Portable pump (33"L x 19"W x 24"H)		
		Two (2) suction hoses (one with strainer attached). Customer to specify dimensions; Size of suction hose - _____" Length of suction hose with strainer attached - _____" Length of suction hose w/o strainer attached - _____"		
		One (1) First aid kit		
		A drawing of proposed layout to be sent to Customer for approval.		